NSN 5910-00-498-0081



Mica Dielectric Fixed Capacitor - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5910-00-498-0081 **Body Style:** W/o mtg facilities terminal (s) on one surface Reliability Indicator: Not established **Terminal Length:** 1.250 inches **Body Length:** 0.470 inches **Body Width:** 0.395 inches **Body Height:** 0.220 inches Center To Center Distance Between Terminals Parallel To Length: Between 0.203 inches and 0.297 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Capacitance Value Per Section:** 47.000 picofarads single section **Nonderated Operating Temp:** Between -55.0 degrees celsius and 125.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 500.0 dc single section Tempurature Coefficient Of Capacitance Range Per Section In Ppm Per Deg Celsius: -20.0 to 100.0 single section **Criticality Code Justification:** Zzzy **Tolerance Range Per Section:** -5.00 to 5.00 percent single section **Case Material: Plastic Quality Factor At Reference Temp: Terminal Surface Treatment:** Solder **Terminal Type And Quantity:** 2 uninsulated wire lead **Reference Number Differentiating Characteristics:** As differentiated by navord od41152 Shelf Life: N/a **Unit Of Measure:**

NSN 5910-00-498-0081

Mica Dielectric Fixed Capacitor - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A010b0