NSN 5910-00-515-2620

Ceramic Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-515-2620 **Body Style:** Rotary **Overall Height:** 0.170 inches **Overall Diameter:** 0.210 inches **Center To Center Distance Between Terminals Parallel To Diameter:** 0.190 inches **Quality Factor At 25 Deg Celsius:** 500.0 **Inclosure Type: Encased Adjustment Device Rotation:** 180.0 degrees clockwise **Adjustment Device Torque:** Between 0.500 inch-ounces and 3.000 inch-ounces Insulation Dc Resistance At 25 Deg Celsius: 10.0 gigohms **Mounting Facility Type And Quantity:** 2 terminal **Nonderated Operating Temp:** Between -55.0 degrees celsius and 85.0 degrees celsius **Criticality Code Justification:** Feat **Capacitance Range In Picofarads:** +3.5 to 25.0 single section **Nonderated Voltage Rating And Type:** 100.0 dc continuous single section Capacitance Change In Percent At Operating Tempurature From 25 Deg Celsius: -1.50 to 1.50 and -1.50 to 1.50 single section **Adjustment Device Drive Type And Quantity:** 1 slotted screw **Capacitance Drift In Picofarads:** 0.75 single section **Special Features:** Weapon system essential **Terminal Type And Quantity:** 2 printed circuit Shelf Life: N/a **Unit Of Measure:**

--

NSN 5910-00-515-2620

Ceramic Dielectric Variable Capacitor - Page 2 of 2



Demilitarization:

No

Fiig:

A096a0