Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-535-9372

## Body Style:

W/thd mtg hol (s)/stud(s) terminal(s) on one surface

## **Reliability Indicator:**

Not established

# **Body Length:**

1.500 inches

#### **Body Width:**

0.578 inches

#### **Body Height:**

3.562 inches

### Center To Center Distance Between Terminals Parallel To Length:

1.125 inches

**Terminal Height From Body:** 

0.625 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

### Mounting Facility Screw Thread Series Designator:

Unc

## Mounting Facility Type And Quantity:

1 threaded mounting studs

# **Features Provided:**

Hermetically sealed case

### Capacitance Value Per Section:

0.500 microfarads single section

### Nonderated Operating Temp:

Between -40.0 degrees celsius and 65.0 degrees celsius

#### **Thread Size:**

0.164 inches

### Nonderated Continuous Voltage Rating And Type Per Section:

250.0 dc single section

### **Tolerance Range Per Section:**

-5.00/+5.00 percent single section

#### **Case Material:**

Metal

### Insulation Resistance At Reference Temp:

5000.0 megohms

### **Dielectric Material:**

Plastic

## **Case Insulation Material:**

Paper

## **Terminal Type And Quantity:**

2 wire hook/loop

Plastic Dielectric Fixed Capacitor - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0