NSN 5910-00-539-7705



Plastic Dielectric Fixed Capacitor - Page 1 of 2
View Online at https://aerobasegroup.com/nsn/5910-00-539-7705
Body Style:
W/thd mtg hol (s)/stud(s) terminal(s) on one surface
Reliability Indicator:
Not established
Terminal Length:
0.718 inches
Body Length:
1.406 inches
Body Width:
0.781 inches
Body Height:
3.438 inches
Center To Center Distance Between Terminals Parallel To Length:
0.391 inches
Center To Center Distance Between Terminals Parallel To Width:
0.188 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
1.000 inches
Schematic Diagram Designator:
No common or grounded electrode (s)
Mounting Facility Screw Thread Series Designator:
Unc
Mounting Facility Type And Quantity:
2 threaded mounting studs
Capacitance Value Per Section:
0.5199 microfarads single section
Nonderated Operating Temp:

Between -50.0 degrees celsius and 65.0 degrees celsius

Thread Size:

0.164 inches

Nonderated Continuous Voltage Rating And Type Per Section:

250.0 dc single section

Tolerance Range Per Section:

-1.00/+1.00 percent single section

Case Material:

Metal

Insulation Resistance At Reference Temp:

1900.0 megohms

Terminal Surface Treatment:

Solder

Terminal Type And Quantity:

2 tab, solder lug

NSN 5910-00-539-7705

Plastic Dielectric Fixed Capacitor - Page 2 of 2



Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No

Fiig:

A010b0