## NSN 5910-00-540-5883

Ceramic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-540-5883

view Online at https://aerobasegroup.com/nsn/5910-00-540-5665
Body Style:
W/o mtg facilities terminal (s) on one surface
Reliability Indicator:
Not established
Terminal Length:
1.000 inches
Body Length:
0.160 inches
Body Width:
0.160 inches
Body Height:
0.080 inches
Center To Center Distance Between Terminals Parallel To Length:
0.107 inches
Terminal Diameter:
Between 0.016 inches and 0.020 inches
Schematic Diagram Designator:
No common or grounded electrode (s)
Capacitance Value Per Section:
15.000 picofarads single section
Nonderated Operating Temp:
Between -55.0 degrees celsius and 85.0 degrees celsius
Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:
0.0 single section
Nonderated Continuous Voltage Rating And Type Per Section:
100.0 dc single section
Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:
-30.0/+30.0 single section
Tolerance Range Per Section:
-5.00/+5.00 percent single section
Case Material:
Plastic
Insulation Resistance At Reference Temp:
100000.0 megohms
Dissipation Factor At Reference Tempurature In Percent:
0.1500
Test Data Document:
06481-902059 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.
excludes any specification, standard or other document that may be referenced in a basic governing drawing)

2 uninsulated wire lead

**Terminal Type And Quantity:** 

\_\_\_\_

Shelf Life:

N/a

## NSN 5910-00-540-5883

Ceramic Dielectric Fixed Capacitor - Page 2 of 2



	• •					
ın	18	<i>(</i> )+	Me	20	III	ω.

--

Demilitarization:

No

Fiig:

A010b0