## NSN 5910-00-543-0117

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-543-0117

**Body Style:** 

W/o mtg facilities, terminal (s) on one end

Reliability Indicator:

Not established

**Body Diameter:** 

0.875 inches

**Body Length:** 

1.906 inches

**Schematic Diagram Designator:** 

Electrod (s) grounded to case

**Anode Type:** 

Solid

**Impedance At Minimum Operating Tempurature In Ohms:** 

500.0

**Electrical Polarization:** 

Polarized

**Features Provided:** 

Hermetically sealed case

**Capacitance Value Per Section:** 

5.000 microfarads single section

**Nonderated Operating Temp:** 

Between -55.0 degrees celsius and 125.0 degrees celsius

Dc Leakage At Maximum Operating Temp:

216.0 milliamperes

Nonderated Continuous Voltage Rating And Type Per Section:

450.0 dc single section

**Tolerance Range Per Section:** 

-15.00/+75.00 percent single section

**Case Material:** 

Metal

**Capacitive Electrode Material:** 

Tantalun

**Equivalent Series Resistance At Reference Tempurature In Ohms:** 

13.00

Dc Leakage At Reference Temp:

31.000 microamperes

**Terminal Surface Treatment:** 

Solder

**Terminal Type And Quantity:** 

1 tab, solder lug

Shelf Life:

N/a

## NSN 5910-00-543-0117

Electrolytic Fixed Capacitor - Page 2 of 2



	• •				
In	18	<i>(</i> )+	МЛО	201	ure:

--

Demilitarization:

No

Fiig:

A010b0