

View Online at https://aerobasegroup.com/nsn/5910-00-565-0023

### **Body Style:**

W/o mtg facilities, radial terminals

### **Reliability Indicator:**

Not established

## Body Length:

1.500 inches

#### Body Width:

1.000 inches

#### **Body Height:**

3.500 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

### Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

0.469 inches

#### **Internal Electrical Connection Type:**

Extended foil

### Mounting Facility Screw Thread Series Designator:

Unc

#### **Features Provided:**

Hermetically sealed case

## Capacitance Value Per Section:

1.000 microfarads single section

#### Nonderated Operating Temp:

Between -55.0 degrees celsius and 65.0 degrees celsius

## Thread Size:

0.164 inches

### Nonderated Continuous Voltage Rating And Type Per Section:

250.0 dc single section

#### **Tolerance Range Per Section:**

-5.00/+5.00 percent single section

#### Case Material:

Metal

# **Terminal Surface Treatment:**

Solder

# **Dielectric Material:**

Plastic polyethylene terephthalate

# **Test Data Document:**

18876-8519056 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

# Terminal Type And Quantity:

2 tab, solder lug

# Shelf Life:

Plastic Dielectric Fixed Capacitor - Page 2 of 2



Unit Of Measure:

---

Demilitarization:

No

Fiig:

A010b0