

View Online at https://aerobasegroup.com/nsn/5910-00-568-3353

Thread Class:
2a
Body Style:
Cylindrical
Overall Length:
6.510 inches
Bushing Diameter:
0.625 inches
Bushing Length:
0.500 inches
Alternating Current Rating In Amps:
30.0
Overall Diameter:
3.380 inches
Terminal Diameter:
3.000 inches
Quality Factor At 25 Deg Celsius:
1000.0
Dissipation Factor At 25 Deg Celsius In Percent:
0.001
Terminal Thickness:
0.150 inches
Mounting Facility Screw Thread Series Designator:
Unef
Adjustment Device Torque:
30.000 inch-ounces
Bushing Shape:
Round
Mounting Facility Type And Quantity:
1 threaded bushing
Thready Qty Per Inch (tpi):
24
Nonderated Operating Temp:
Between -55.0 degrees celsius and 125.0 degrees celsius
Thread Size:
0.625 inches
Capacitance Range In Picofarads:
+25.0/+4000.0 single section
Nonderated Voltage Rating And Type:
5000.0 ac peak single section
Adjustment Device Drive Type And Quantity:
1 hex nut



Terminal Type And Quantity:

1 flange

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A096a0