## NSN 5910-00-575-3906

**Body Style:** 

Ceramic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-575-3906

W/thd bushing mtg, terminals on opposite end
Reliability Indicator:
Not established
Width Across Flats:
Between 0.154 inches and 0.159 inches
Terminal Length:
0.140 inches
Body Length:
0.340 inches
Terminal Diameter:
0.016 inches
Schematic Diagram Designator:
Feedthrough
Mounting Facility Screw Thread Series Designator:
Unc
Mounting Facility Type And Quantity:
1 threaded bushing
Capacitance Value Per Section:
1000.000 picofarads single section
Voltage Tempurature Limits Per Section In Percent Capacitance Change:
-15.0/+15.0 without voltage applied single section
Nonderated Operating Temp:
Between -55.0 degrees celsius and 125.0 degrees celsius
Thread Size:
0.112 inches
Nonderated Continuous Voltage Rating And Type Per Section:
50.0 dc single section
Tolerance Range Per Section:
-0.00/+100.00 percent single section
Case Material:
Metal
Insulation Resistance At Reference Temp:
500.0 megohms
Dissipation Factor At Reference Tempurature In Percent:
3.5000
Terminal Type And Quantity:
2 uninsulated wire lead
Shelf Life:
N/a
Unit Of Measure:

--

## NSN 5910-00-575-3906

Ceramic Dielectric Fixed Capacitor - Page 2 of 2



Demilitarization:

No

Fiig:

A010b0