NSN 5910-00-586-6089

Ceramic Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-586-6089 **Body Style:** Rotary **Body Length:** 0.750 inches **Body Width:** 0.531 inches **Body Height:** 0.234 inches Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius: 0.0 single section **Unthreaded Mounting Hole Diameter:** 0.124 inches and 0.124 inches **Quality Factor At 25 Deg Celsius:** 500.0 Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.312 inches **Inclosure Type:** Encapsulated **Adjustment Device Torque:** Between 2.000 inch-ounces and 8.000 inch-ounces **Mounting Facility Type And Quantity:** 2 unthreaded hole **Nonderated Operating Temp:** Between -55.0 degrees celsius and 85.0 degrees celsius **Capacitance Range In Picofarads:** +5.0 to 25.0 single section **Nonderated Voltage Rating And Type:** 350.0 dc continuous single section **Adjustment Device Drive Type And Quantity:** 1 slotted screw Capacitance Drift In Picofarads: 0.38 single section **Special Features:** Lead terminals configuration **Terminal Type And Quantity:** 2 tab, solder lug Shelf Life: N/a **Unit Of Measure: Demilitarization:**

No

NSN 5910-00-586-6089

Ceramic Dielectric Variable Capacitor - Page 2 of 2



Fiig:

A096a0