Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-643-9387

# Body Style:

W/thd mtg hol (s)/stud(s) terminal(s) on one surface

## **Reliability Indicator:**

Not established

# Body Length:

4.938 inches

# Body Width:

1.500 inches

#### **Body Height:**

3.594 inches

### Center To Center Distance Between Terminals Parallel To Width:

0.875 inches

### Terminal Height From Body:

0.875 inches

# Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

4.000 inches

# Schematic Diagram Designator:

No common or grounded electrode (s)

### Mounting Facility Screw Thread Series Designator:

Unc

## Mounting Facility Type And Quantity:

2 threaded mounting studs

# **Features Provided:**

Hermetically sealed case

### Insulation Resistance At Maximum Operating Temp:

80000.0 megohms

### Capacitance Value Per Section:

1.000 microfarads single section

### Nonderated Operating Temp:

Between -40.0 degrees celsius and 65.0 degrees celsius

### **Thread Size:**

0.190 inches

### Nonderated Continuous Voltage Rating And Type Per Section:

200.0 dc single section

### **Tolerance Range Per Section:**

-2.00/+2.00 percent single section

### Case Material:

Metal

#### **Dielectric Material:**

Plastic polystyrene

## **Terminal Type And Quantity:**

2 wire hook/loop

Plastic Dielectric Fixed Capacitor - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A010b0