## NSN 5910-00-644-0606

Paper Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-644-0606

Body	Styl	e:
------	------	----

W/thd mtg studs, axial terminals

**Reliability Indicator:** 

Not established

**Terminal Length:** 

1.628 inches

**Body Diameter:** 

0.670 inches

**Body Length:** 

1.625 inches

**Body Width:** 

1.065 inches

**Body Height:** 

0.670 inches

**Terminal Diameter:** 

0.032 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

0.875 inches

**Schematic Diagram Designator:** 

No common or grounded electrode (s)

**Internal Electrical Connection Type:** 

Extended foil

**Mounting Facility Screw Thread Series Designator:** 

**Mounting Facility Type And Quantity:** 

2 threaded mounting studs

**Features Provided:** 

Hermetically sealed case

**Insulation Resistance At Maximum Operating Temp:** 

10.0 megohm-microfarads

**Capacitance Value Per Section:** 

0.270 microfarads single section

**Nonderated Operating Temp:** 

Between -55.0 degrees celsius and 125.0 degrees celsius

**Thread Size:** 

0.138 inches

Nonderated Continuous Voltage Rating And Type Per Section:

400.0 dc single section

**Tolerance Range Per Section:** 

-10.00 to 10.00 percent single section

**Case Material:** 

Metal

## NSN 5910-00-644-0606

Paper Dielectric Fixed Capacitor - Page 2 of 2



Insulation Resistance At Reference Temp:		
20000.0 megohm-microfarads		
Dissipation Factor At Reference Tempurature In Percent:		
1.0000		
Terminal Surface Treatment:		
Solder		
Case Insulation Material:		
Paper		
Terminal Type And Quantity:		
2 uninsulated wire lead		
Shelf Life:		
N/a		
Unit Of Measure:		
Demilitarization:		
No		

Fiig: A010b0