NSN 5910-00-644-3749



Electrolytic Fixed Capacitor - Page 1 of 2
View Online at https://aerobasegroup.com/nsn/5910-00-644-3749
Body Style:
W/o mtg facilities, terminal (s) on one end
Reliability Indicator:
Not established
Body Diameter:
1.094 inches
Body Length:
1.500 inches
Center To Center Distance Between Terminals Parallel To Diameter:
0.500 inches
Terminal Height From Body:
0.438 inches
Center To Center Distance Between Mounting Facilities Parallel To Diameter:
0.500 inches
Schematic Diagram Designator:
No common or grounded electrode (s)
Anode Type:

Etched foil

Impedance At Minimum Operating Tempurature In Ohms:

4000.0

Electrical Polarization:

Polarized

Mounting Facility Screw Thread Series Designator:

Unc

Mounting Facility Type And Quantity:

2 threaded mounting holes

Features Provided:

Hermetically sealed case

Capacitance Value Per Section:

10.000 microfarads single section

Nonderated Operating Temp:

Between -40.0 degrees celsius and 85.0 degrees celsius

Thread Size:

0.138 inches

Nonderated Continuous Voltage Rating And Type Per Section:

400.0 dc single section

Tolerance Range Per Section:

-10.00/+50.00 percent single section

Case Material:

Metal

Capacitive Electrode Material:

Aluminum

NSN 5910-00-644-3749 Electrolytic Fixed Capacitor - Page 2 of 2



Terminal Surface Treatment:
Solder
Case Insulation Material:
Plastic
Terminal Type And Quantity:
2 solder stud
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A010b0