Paper-plastic Dielectric Metallized Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-644-5932

## Body Style:

W/o mtg facilities, terminal (s) on one surface

**Reliability Indicator:** 

Not established

## **Terminal Length:**

0.500 inches

## **Body Length:**

3.750 inches

#### **Body Width:**

2.500 inches

**Body Height:** 

4.750 inches

## Schematic Diagram Designator:

No common or grounded electrode (s)

#### Features Provided:

Hermetically sealed case

## Insulation Resistance At Maximum Operating Temp:

20.0 megohms

## **Capacitance Value Per Section:**

50.000 microfarads single section

## Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

## Nonderated Continuous Voltage Rating And Type Per Section:

400.0 dc single section

## **Tolerance Range Per Section:**

-10.00/+50.00 percent single section

#### **Case Material:**

Metal

## Insulation Resistance At Reference Temp:

1000.0 megohms

## Power Factor At Reference Tempurature In Percent:

1.0000

# **Terminal Surface Treatment:**

Solder

# Terminal Type And Quantity:

2 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

# Demilitarization:

No

# NSN 5910-00-644-5932 Paper-plastic Dielectric Metallized Fixed Capacitor - Page 2 of 2



**Fiig:** A010b0