NSN 5910-00-660-7311

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-660-7311

view Online at https://aerobasegroup.com/nsn/5910-00-660-7311
Body Style:
W/mtg bracket, terminals on opposite ends
Reliability Indicator:
Not established
Terminal Length:
1.500 inches
Body Diameter:
0.609 inches
Body Length:
1.126 inches
Terminal Diameter:
0.025 inches
Unthreaded Mounting Hole Diameter:
0.120 inches
Schematic Diagram Designator:
No common or grounded electrode (s)
Mounting Facility Type And Quantity:
1 unthreaded mounting holes
Insulation Resistance At Maximum Operating Temp:
100.0 megohms
Capacitance Value Per Section:
0.330 microfarads single section
Nonderated Operating Temp:
Between -65.0 degrees celsius and 125.0 degrees celsius
Nonderated Continuous Voltage Rating And Type Per Section:
400.0 dc single section
Tolerance Range Per Section:
-10.00/+10.00 percent single section
Case Material:
Metal
Insulation Resistance At Reference Temp:
100000.0 megohms
Dissipation Factor At Reference Tempurature In Percent:
1.500
Terminal Surface Treatment:
Solder
Dielectric Material:
Plastic
Terminal Type And Quantity:
2 uninsulated wire lead

N/a

Shelf Life:

NSN 5910-00-660-7311

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 2 of 2



--

Demilitarization:

No

Fiig:

A010b0