NSN 5910-00-666-7021

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-666-7021 **Body Style:** W/twist tab mtg, terminal (s) on one end **Reliability Indicator:** Not established **Terminal Length:** 0.375 inches **Body Diameter:** 1.469 inches **Body Length:** 3.000 inches **Center To Center Distance Between Terminals Parallel To Diameter:** 0.625 inches **Terminal Diameter:** 0.109 inches **Schematic Diagram Designator:** Two terminals common to one electrode **Anode Type:** Plain foil **Impedance At Minimum Operating Tempurature In Ohms:** 13.0 **Electrical Polarization:** Polarized **Section Quantity: Capacitance Value Per Section:** 1000.000 microfarads all sections **Nonderated Operating Temp:** Between -20.0 degrees celsius and 65.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 15.0 dc all sections **Tolerance Range Per Section:** -10.00/+150.00 percent 2nd section **Case Material:** Metal **Capacitive Electrode Material:** Aluminum **Equivalent Series Resistance At Reference Tempurature In Ohms:** 500.00 **Terminal Surface Treatment:** Solder

Terminal Type And Quantity:

3 tab, solder lug

NSN 5910-00-666-7021

Electrolytic Fixed Capacitor - Page 2 of 2



_			-		
C	hο	14		.ife	
•			_	.II C	-

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0