

View Online at <https://aerobasegroup.com/nsn/5910-00-669-0797>

**Body Style:**

W/mtg bracket, terminals on opposite ends

**Reliability Indicator:**

Not established

**Terminal Length:**

1.000 inches

**Body Diameter:**

0.438 inches

**Body Length:**

0.938 inches

**Body Width:**

1.219 inches

**Body Height:**

0.438 inches

**Continuous Current Rating In Amps:**

5.0

**Terminal Diameter:**

0.138 inches

**Unthreaded Mounting Hole Diameter:**

0.154 inches

**Center To Center Distance Between Mounting Facilities Parallel To Diameter:**

0.938 inches

**Schematic Diagram Designator:**

Feedthrough

**Mounting Facility Type And Quantity:**

2 unthreaded mounting holes

**Features Provided:**

Hermetically sealed case

**Capacitance Value Per Section:**

10000.000 picofarads single section

**Nonderated Operating Temp:**

Between -55.0 degrees celsius and 85.0 degrees celsius

**Nonderated Continuous Voltage Rating And Type Per Section:**

250.0 ac-rms single section

**Tolerance Range Per Section:**

-10.00 to 20.00 percent single section

**Case Material:**

Metal

**Dissipation Factor At Reference Temperature In Percent:**

1.0000

**Test Data Document:**

81349-mil-c-11693 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Terminal Type And Quantity:**

2 threaded stud

**Specification Data:**

81349-mil-c-11693/8 government specification

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A010b0