

View Online at <https://aerobasegroup.com/nsn/5910-00-669-4478>

**Body Style:**

Rotary

**Body Length:**

0.844 inches

**Body Width:**

0.656 inches

**Body Height:**

0.375 inches

**Temperature Coefficient Of Capacitance In Ppm Per Deg Celsius:**

-650.0 single section

**Unthreaded Mounting Hole Diameter:**

0.120 inches and 0.120 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

0.438 inches

**Inclosure Type:**

Encapsulated

**Mounting Facility Type And Quantity:**

2 unthreaded hole

**Capacitance Range In Picofarads:**

+7.0 to 90.0 single section

**Nonderated Voltage Rating And Type:**

500.0 dc continuous single section

**Capacitance Change In Percent At Operating Temperature From 25 Deg Celsius:**

-2.00 to 55.00 and -6.00 to 85.00 single section

**Adjustment Device Drive Type And Quantity:**

1 slotted screw

**Capacitance Drift In Picofarads:**

0.80 single section

**Special Features:**

Waive the fatigue requirement of paragraph f-1t of jan-c-81-2

**Terminal Type And Quantity:**

2 tab, solder lug

**Reference Number Differentiating Characteristics:**

As modified by pacs axch axcj axck axcl and feat

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A096a0