

View Online at <https://aerobasegroup.com/nsn/5910-00-670-5393>

Thread Class:

Any acceptable

Body Style:

Piston

Bushing Diameter:

0.190 inches

Bushing Length:

0.195 inches

Body Length:

1.000 inches

Overall Diameter:

0.250 inches

Temperature Coefficient Of Capacitance Range In Ppm Per Deg Celsius:

-0.0 to 100.0 single section

Quality Factor At 25 Deg Celsius:

500.0

Mounting Facility Screw Thread Series Designator:

Unf

Inclosure Type:

Encapsulated

Adjustment Device Torque:

Between 1.500 inch-ounces and 6.000 inch-ounces

Bushing Shape:

Round w/flat

Insulation Dc Resistance At 25 Deg Celsius:

10.0 gigohms

Bushing Width:

0.167 inches

Mounting Facility Type And Quantity:

1 threaded bushing

Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

Thread Size:

0.190 inches

Capacitance Range In Picofarads:

+0.8 to 18.0 single section

Nonderated Voltage Rating And Type:

1000.0 dc continuous single section

Adjustment Device Drive Type And Quantity:

1 slotted screw

Capacitance Drift In Picofarads:

0.01 single section

Terminal Type And Quantity:

1 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A096a0