Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-682-3153

## **Body Style:**

W/o mtg facilities, axial terminals

## **Reliability Indicator:**

Not established

## **Terminal Length:**

1.250 inches

#### **Body Diameter:**

0.328 inches

#### **Body Length:**

1.125 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

#### Anode Type:

Plain foil

#### Impedance At Minimum Operating Tempurature In Ohms:

# 223.0 **Electrical Polarization:**

Nonpolarized

## **Capacitance Value Per Section:**

10.000 microfarads single section

## Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

## Dc Leakage At Maximum Operating Temp:

4.0 milliamperes

#### Nonderated Continuous Voltage Rating And Type Per Section:

10.0 dc single section

#### **Tolerance Range Per Section:**

-20.00/+20.00 percent single section

#### **Case Material:**

Metal

#### **Capacitive Electrode Material:**

Tantalum

## Power Factor At Reference Tempurature In Percent:

10.0000

## Dc Leakage At Reference Temp:

2.000 microamperes

## **Case Insulation Material:**

Plastic

## **Terminal Type And Quantity:**

2 uninsulated wire lead

## Shelf Life:

N/a

# NSN 5910-00-682-3153

Electrolytic Fixed Capacitor - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0