

View Online	e at https://aerobasegroup.com/nsn/5910-00-682-3188
Thread Cla	ss:
Any accepta	able
Body Style	:
Plate-mesh	ing
Overall Ler	ngth:
2.407 inche	S
Overall Hei	ight:
1.219 inche	s
Overall Wie	dth:
0.938 inche	S
Shaft Diam	eter:
Any accepta	able single shaft
Shaft Leng	th:
0.438 inche	s single shaft
Body Leng	th:
1.969 inche	s
Unthreade	d Mounting Hole Diameter:
Any accepta	able
Quality Fac	ctor At 25 Deg Celsius:
1500.0	
Distance B	etween Centerlines Of Mounting Facilities Parallel To Body Width:
0.656 inche	S
Mounting F	Facility Screw Thread Series Designator:
Unc	
Inclosure T	уре:
Uninclosed	
Tuning Cha	aracteristic:
Straight line	e capacity single section
Split-stator	Rotary Plate Type:
Differential	
Adjustmen	t Device Rotation:
180.0 degre	ees clockwise
Adjustmen	t Device Torque:
Between 2.	500 inch-ounces and 10.000 inch-ounces
Insulation	Dc Resistance At 25 Deg Celsius:
100.0 gigoh	ms
Mounting F	Facility Type And Quantity:
2 threaded	hole
Nonderate	d Operating Temp:
Between -5	5.0 degrees celsius and 85.0 degrees celsius
Thread Siz	e:

0.112 inches



## Shaft Type:

Round, slotted single shaft

Capacitance Range In Picofarads:

+9.0 to 143.0 single section

Nonderated Voltage Rating And Type:

500.0 dc continuous single section

Adjustment Device Drive Type And Quantity:

1 shaft

## **Test Data Document:**

81349-mil-c-92 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## **Terminal Type And Quantity:**

1 tab, solder lug Shelf Life: N/a Unit Of Measure: --Demilitarization: No Fiig: A096a0