NSN 5910-00-683-8008

Body Style:

Piston

Glass Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-683-8008

Overall Length: 1.261 inches **Shaft Diameter:** 0.120 inches single shaft **Shaft Length:** 0.105 inches single shaft **Body Length:** 1.156 inches **Overall Diameter:** 0.250 inches Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius: 0.0 single section Tempurature Coefficient Of Capacitance Range In Ppm Per Deg Celsius: -100.0/+100.0 single section **Center To Center Distance Between Terminals Parallel To Length:** 1.000 inches **Quality Factor At 25 Deg Celsius:** 500.0 **Inclosure Type:** Encapsulated **Adjustment Device Torque:** Between 1.500 inch-ounces and 6.000 inch-ounces Insulation Dc Resistance At 25 Deg Celsius: 1000.0 gigohms **Mounting Facility Type And Quantity:** 2 terminal **Nonderated Operating Temp:** Between -55.0 degrees celsius and 125.0 degrees celsius **Shaft Type:** Round, slotted single shaft Capacitance Range In Picofarads: +1.0/+19.0 single section **Nonderated Voltage Rating And Type:** 750.0 dc continuous single section **Adjustment Device Drive Type And Quantity:** 1 shaft **Capacitance Drift In Picofarads:** 0.04 single section **Terminal Type And Quantity:**

1 tab, solder lug and 1 wire lead

NSN 5910-00-683-8008

Glass Dielectric Variable Capacitor - Page 2 of 2



Sneit	Lite:
N/a	

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A096a0