NSN 5910-00-728-4092

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-728-4092	
Body Style:	
W/thd mtg hol (s)/stud(s) terminal(s) on one surface	
Reliability Indicator:	
Not established	
Body Length:	
1.812 inches	
Body Width:	
1.031 inches	
Body Height:	
1.449 inches	
Center To Center Distance Between Terminals Parallel To Length:	
0.875 inches	
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:	
1.000 inches	
Schematic Diagram Designator:	
One terminal common to each section	
Anode Type:	
Plain foil	
Electrical Polarization:	
Polarized	
Mounting Facility Screw Thread Series Designator:	
Unc	
Section Quantity:	
2	
Features Provided:	
Hermetically sealed case	
Capacitance Value Per Section:	
16.000 microfarads single section	
Nonderated Operating Temp:	
Between -55.0 degrees celsius and 85.0 degrees celsius	
Thread Size:	
0.112 inches	
Nonderated Continuous Voltage Rating And Type Per Section:	
300.0 dc all sections	
Tolorone Dongo Day Section.	

Tolerance Range Per Section:

-20.00 to 75.00 percent 2nd section

Case Material:

Metal

Capacitive Electrode Material:

Tantalum

Equivalent Series Resistance At Reference Tempurature In Ohms:

12.50

NSN 5910-00-728-4092

Electrolytic Fixed Capacitor - Page 2 of 2



50.000 microamperes

Terminal Type And Quantity:

2 tab, solder lug and 2 solder stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0