NSN 5910-00-728-7381

Ceramic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-728-7381

Body Style: W/o mtg facilities terminal (s) on one surface Mil-std-1276 Wire Lead Type Designator: N-3 **Reliability Indicator:** Not established **Terminal Length:** 1.250 inches **Body Length:** 0.510 inches **Body Width:** 0.510 inches **Body Height:** 0.160 inches **Center To Center Distance Between Terminals Parallel To Length:** Between 0.385 inches and 0.415 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Insulation Resistance At Maximum Operating Temp:** 10000.0 megohms **Capacitance Value Per Section:** 10000.000 picofarads single section **Nonderated Operating Temp:** Between -55.0 degrees celsius and 125.0 degrees celsius Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius: 0.0 single section Nonderated Continuous Voltage Rating And Type Per Section: 50.0 dc single section **Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:** -30.0/+30.0 single section **Tolerance Range Per Section:** -2.00/+2.00 percent single section **Case Material:** Plastic **Insulation Resistance At Reference Temp:** 100000.0 megohms **Dissipation Factor At Reference Tempurature In Percent:** 0.1500 **Terminal Surface Treatment:** Solder

Terminal Type And Quantity: 2 uninsulated wire lead

NSN 5910-00-728-7381

Ceramic Dielectric Fixed Capacitor - Page 2 of 2



| fe: |
|-----|
| |

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0