NSN 5910-00-729-9315

Plastic Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-729-9315

Body Style: Piston **Overall Length:** 0.983 inches **Terminal Length:** 0.500 inches **Shaft Diameter:** 0.190 inches single shaft **Shaft Length:** 0.312 inches single shaft **Body Length:** 0.843 inches **Overall Diameter:** Between 0.214 inches and 0.222 inches **Quality Factor At 25 Deg Celsius:** 1000.0 **Fragility Factor:** Moderately rugged **Terminal Width:** Between 0.060 inches and 0.064 inches **Terminal Thickness:** Between 0.010 inches and 0.014 inches **Inclosure Type:** Encased **Adjustment Device Rotation:** 180.0 degrees clockwise and 180.0 degrees counterclockwise **Adjustment Device Torque:** Between 1.000 inch-ounces and 8.000 inch-ounces Insulation Dc Resistance At 25 Deg Celsius: 10.0 gigohms **Mounting Facility Type And Quantity: Nonderated Operating Temp:** Between -55.0 degrees celsius and 75.0 degrees celsius **Shaft Type:** Round, slotted single shaft **Capacitance Range In Picofarads:** +0.7 to 3.0 single section **Nonderated Voltage Rating And Type:** 350.0 dc continuous single section

1 shaft

Adjustment Device Drive Type And Quantity:

NSN 5910-00-729-9315

Plastic Dielectric Variable Capacitor - Page 2 of 2



ate		

Plastic polystyrene capacitive electrode

Terminal Type And Quantity:

2 tab, solder lug

_,

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A096a0