Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-760-3710

# Body Style:

W/thd mtg hol (s)/stud(s) terminal(s) on one surface

## **Reliability Indicator:**

Not established

# **Terminal Length:**

0.719 inches

# Body Length:

1.406 inches

## Body Width:

0.469 inches

### **Body Height:**

3.437 inches

# Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

1.000 inches

## Schematic Diagram Designator:

No common or grounded electrode (s)

# Mounting Facility Screw Thread Series Designator:

Unc

#### Mounting Facility Type And Quantity:

2 threaded mounting studs

### Capacitance Value Per Section:

0.500 microfarads single section

### Nonderated Operating Temp:

Between -60.0 degrees fahrenheit and 150.0 degrees fahrenheit

#### Thread Size:

0.164 inches

### Nonderated Continuous Voltage Rating And Type Per Section:

250.0 dc single section

### **Tolerance Range Per Section:**

-0.00 to 25.00 percent single section

#### Case Material:

Metal

## **Terminal Surface Treatment:**

Solder

## **Dielectric Material:**

Plastic

# Terminal Type And Quantity:

2 tab, solder lug

Shelf Life:

N/a

## Unit Of Measure:

---



Demilitarization:

No

Fiig:

A010b0