NSN 5910-00-761-7781

Glass Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-761-7781 **Body Style:** Piston **Overall Length:** 0.906 inches **Terminal Length:** 0.312 inches **Body Length:** 0.562 inches **Overall Diameter:** 0.297 inches Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius: 0.0 single section Tempurature Coefficient Of Capacitance Range In Ppm Per Deg Celsius: -50.0/+50.0 single section **Unthreaded Mounting Hole Diameter:** Between 0.230 inches and 0.234 inches **Inclosure Type: Encased Terminal Location:** End opposite adjustment control perpendicular and circumference on adjustment control end perpendicular **Adjustment Device Torque:** 8.000 inch-ounces Insulation Dc Resistance At 25 Deg Celsius: 2000000.0 megohms **Mounting Facility Type And Quantity:** 1 unthreaded hole **Nonderated Operating Temp:** Between -55.0 degrees celsius and 125.0 degrees celsius Capacitance Range In Picofarads: +0.8/+4.5 single section **Nonderated Voltage Rating And Type:** 750.0 dc continuous single section **Adjustment Device Drive Type And Quantity:** 1 slotted screw Material: Glass inclosure **Terminal Type And Quantity:** 1 turret and 1 tab, solder lug Shelf Life: N/a

Unit Of Measure:

NSN 5910-00-761-7781

Glass Dielectric Variable Capacitor - Page 2 of 2



_		••	• •				
וו	em	ш	112	rız	211	n	٠.

No

Fiig:

A096a0