

View Online at <https://aerobasegroup.com/nsn/5910-00-764-1097>

**Body Style:**

W/o mtg facilities, terminal (s) on one surface

**Reliability Indicator:**

Not established

**Terminal Length:**

1.500 inches

**Body Length:**

0.500 inches

**Body Width:**

0.125 inches

**Body Height:**

0.500 inches

**Center To Center Distance Between Terminals Parallel To Length:**

Between 0.350 inches and 0.410 inches

**Terminal Diameter:**

0.025 inches

**Schematic Diagram Designator:**

No common or grounded electrode (s)

**Insulation Resistance At Maximum Operating Temp:**

1000.0 megohm-microfarads

**Capacitance Value Per Section:**

0.470 microfarads single section

**Voltage Temperature Limits Per Section In Percent Capacitance Change:**

-15.0/+15.0 without voltage applied single section

**Nonderated Operating Temp:**

Between -55.0 degrees celsius and 125.0 degrees celsius

**Nonderated Continuous Voltage Rating And Type Per Section:**

25.0 dc single section

**Tolerance Range Per Section:**

-20.00/+80.00 percent single section

**Case Material:**

Plastic

**Insulation Resistance At Reference Temp:**

2500.0 megohm-microfarads

**Dissipation Factor At Reference Temperature In Percent:**

4.0000

**Terminal Surface Treatment:**

Solder

**Test Data Document:**

90536-7900092 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Terminal Type And Quantity:**

2 uninsulated wire lead

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A010b0