## NSN 5910-00-764-1662

Ceramic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-764-1662

**Body Style:** W/o mtg facilities terminal (s) on one surface **Reliability Indicator:** Not established **Terminal Length:** 1.250 inches **Body Length:** 0.500 inches **Body Width:** 0.500 inches **Body Height:** 0.238 inches **Center To Center Distance Between Terminals Parallel To Length:** 0.375 inches **Terminal Diameter:** 0.025 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Insulation Resistance At Maximum Operating Temp:** 5000.0 megohms **Capacitance Value Per Section:** 2.200 microfarads single section **Nonderated Operating Temp:** Between -55.0 degrees celsius and 85.0 degrees celsius Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius: 1000.0 single section Nonderated Continuous Voltage Rating And Type Per Section: 25.0 dc single section **Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:** -20.0/+80.0 single section **Tolerance Range Per Section:** -20.00/+20.00 percent single section **Case Material:** Ceramic **Insulation Resistance At Reference Temp:** 2500.0 megohm-microfarads **Dissipation Factor At Reference Tempurature In Percent:** 4.0000 **Terminal Surface Treatment:** Solder

2 uninsulated wire lead

**Terminal Type And Quantity:** 

## NSN 5910-00-764-1662

Ceramic Dielectric Fixed Capacitor - Page 2 of 2



Shelf Life:	She	lf	Life:
-------------	-----	----	-------

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A010b0