NSN 5910-00-766-1950

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-766-1950

view Online at https://aerobasegroup.com/nsn/5910-00-766-1950
Body Style:
W/thd bushing mtg, terminal (s) on one end
Reliability Indicator:
Not established
Body Diameter:
3.250 inches
Body Length:
3.375 inches
Center To Center Distance Between Terminals Parallel To Diameter
1.000 inches
Terminal Diameter:
0.250 inches
Terminal Height From Body:
0.875 inches
Schematic Diagram Designator:
Electrod (s) grounded to case, w/gnd terminal
Anode Type:
Solid
Electrical Polarization:
Polarized
Mounting Facility Screw Thread Series Designator:
Unc
Mounting Facility Type And Quantity:
1 threaded bushing
Features Provided:
Hermetically sealed case
Capacitance Value Per Section:
10000.000 microfarads single section
Nonderated Operating Temp:
Between -55.0 degrees celsius and 85.0 degrees celsius
Thread Size:
0.216 inches
Nonderated Continuous Voltage Rating And Type Per Section:
30.0 dc single section
Tolerance Range Per Section:
-20.00/+40.00 picofarads single section
-20.00/+40.00 picofarads single section Case Material:
Case Material:
Case Material: Metal

5.500 milliamperes

NSN 5910-00-766-1950

Electrolytic Fixed Capacitor - Page 2 of 2



Case Insulation Material:
Plastic
Terminal Type And Quantity:
2 standoff, solder stud
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A010b0