## NSN 5910-00-766-6836



Paper Dielectric Fixed Capacitor - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5910-00-766-6836 **Body Style:** W/o mtg facilities, terminal (s) on one surface Reliability Indicator: Not established **Body Length:** 2.500 inches **Body Width:** 1.188 inches **Body Height:** 3.875 inches **Center To Center Distance Between Terminals Parallel To Length:** 1.125 inches **Terminal Height From Body:** 0.625 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Features Provided:** Hermetically sealed case **Insulation Resistance At Maximum Operating Temp:** 15.0 megohm-microfarads **Capacitance Value Per Section:** 4.000 microfarads single section **Nonderated Operating Temp:** Between -40.0 degrees celsius and 85.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 330.0 ac-rms single section and 600.0 dc single section **Tolerance Range Per Section:** -6.00 to 6.00 percent single section **Case Material:** Metal **Insulation Resistance At Reference Temp:** 4500.0 megohm-microfarads **Power Factor At Reference Tempurature In Percent:** 1.0000 **Terminal Surface Treatment:** Solder **Terminal Type And Quantity:** 2 standoff, solder lug

Shelf Life: N/a **Unit Of Measure:** 

## NSN 5910-00-766-6836

Paper Dielectric Fixed Capacitor - Page 2 of 2



em			

No

Fiig:

A010b0