NSN 5910-00-768-4224



Glass Dielectric Variable Capacitor - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5910-00-768-4224

Body Style:
Piston
Overall Length:
1.781 inches
Terminal Length:
0.500 inches
Shaft Diameter:
0.047 inches single shaft
Shaft Length:
0.285 inches single shaft
Body Length:
1.496 inches
Overall Diameter:
0.281 inches
Center To Center Distance Between Terminals Parallel To Length:
0.703 inches
Center To Center Distance Between Terminals Parallel To Diameter:
0.234 inches
Terminal Diameter:
0.030 inches
Quality Factor At 25 Deg Celsius:
500.0
Inclosure Type:
Encapsulated
Adjustment Device Torque:
Between 1.000 inch-ounces and 8.000 inch-ounces
Insulation Dc Resistance At 25 Deg Celsius:
1000.0 gigohms
Mounting Facility Type And Quantity:
4 terminal
Nonderated Operating Temp:
Between -55.0 degrees celsius and 100.0 degrees celsius
Shaft Type:
Round single shaft
Capacitance Range In Picofarads:
+10.0/+15.0 single section
Nonderated Voltage Rating And Type:
750.0 dc continuous single section
Adjustment Device Drive Type And Quantity:
1 shaft
Took Data Decuments

Test Data Document:

06845-4017514-0701 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

NSN 5910-00-768-4224

Glass Dielectric Variable Capacitor - Page 2 of 2



Terminal Type And Quantity:
4 wire lead
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A096a0