NSN 5910-00-771-6072

Mica Dielectric Fixed Capacitor - Page 1 of 2



view Online at https://aerobasegroup.com/nsn/5910-00-771-6072
Body Style:
W/o mtg facilities terminal (s) on one surface
Reliability Indicator:
Not established
Terminal Length:
1.250 inches
Body Length:
0.360 inches
Body Width:
0.330 inches
Body Height:
0.190 inches
Center To Center Distance Between Terminals Parallel To Length:
Between 0.110 inches and 0.172 inches
Schematic Diagram Designator:
No common or grounded electrode (s)
Insulation Resistance At Maximum Operating Temp:
30.0 megohm-microfarads
Capacitance Value Per Section:
12.000 picofarads single section
Nonderated Operating Temp:
Between -55.0 degrees celsius and 125.0 degrees celsius
Nonderated Continuous Voltage Rating And Type Per Section:
500.0 dc single section
Tempurature Coefficient Of Capacitance Range Per Section In Ppm Per Deg Celsius:
-200.0 to 200.0 single section
Tolerance Range Per Section:
-5.00 to 5.00 percent single section
Case Material:
Plastic
Insulation Resistance At Reference Temp:
1000.0 megohm-microfarads
Dissipation Factor At Reference Tempurature In Percent:
0.0100
Quality Factor At Reference Temp:
100.0000
Terminal Surface Treatment:
Solder
Terminal Type And Quantity:
2 uninsulated wire lead

N/a

Shelf Life:

NSN 5910-00-771-6072

Mica Dielectric Fixed Capacitor - Page 2 of 2



	Of			

--

Demilitarization:

No

Fiig:

A010b0