NSN 5910-00-771-9517

W/mtg tabs/flanges terminal (s) on one surface

Body Style:

Reliability Indicator:

Terminal Type And Quantity:

2 tab, solder lug

Not established

Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-771-9517

Mounting Slot Width:
0.250 inches
Body Length:
2.000 inches
Body Width:
1.125 inches
Body Height:
2.031 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
2.500 inches
Schematic Diagram Designator:
No common or grounded electrode (s)
Internal Electrical Connection Type:
Inserted tab
Mounting Facility Type And Quantity:
1 mounting slots
Insulation Resistance At Maximum Operating Temp:
1000.0 megohms
Capacitance Value Per Section:
10.000 microfarads single section
Nonderated Operating Temp:
Between -55.0 degrees celsius and 95.0 degrees celsius
Nonderated Continuous Voltage Rating And Type Per Section:
50.0 dc single section
Tolerance Range Per Section:
-5.00/+5.00 percent single section
Case Material:
Metal
Insulation Resistance At Reference Temp:
40000.0 megohms
Dissipation Factor At Reference Tempurature In Percent:
0.3000
Terminal Surface Treatment:
Solder
Dielectric Material:
Plastic polyethylene terephthalate

NSN 5910-00-771-9517

Plastic Dielectric Fixed Capacitor - Page 2 of 2



Shelf Life:
N/a
Unit Of Measure:
Domilitarization

Demilitarization:

No

Fiig:

A010b0