## NSN 5910-00-776-4185

Ceramic Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-776-4185 **Body Style:** Rotary **Terminal Length:** 0.145 inches **Overall Height:** 0.330 inches **Body Diameter:** 0.375 inches **Body Height:** 0.275 inches Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius: 0.0 single section **Center To Center Distance Between Terminals Parallel To Diameter:** 0.300 inches **Center To Center Distance Between Mounting Facilities Parallel To Diameter:** 0.300 inches **Quality Factor At 25 Deg Celsius:** 500.0 **Inclosure Type:** Encapsulated **Terminal Location:** Circumference 180 degrees apart on end opposite adjustment control bent forward **Adjustment Device Torque:** Between 1.000 inch-ounces and 6.000 inch-ounces **Mounting Facility Type And Quantity:** 3 terminal **Nonderated Operating Temp:** Between -55.0 degrees celsius and 85.0 degrees celsius Capacitance Range In Picofarads: +2.0 to 8.0 single section **Nonderated Voltage Rating And Type:** 350.0 dc continuous single section Capacitance Change In Percent At Operating Tempurature From 25 Deg Celsius: -4.50 to 2.00 and -2.50 to 2.00 single section **Adjustment Device Drive Type And Quantity:** 1 slotted screw **Precious Material And Location:** Terminal and contact surfaces silver **Precious Material:** Silver **Terminal Type And Quantity:** 

3 printed circuit

## NSN 5910-00-776-4185

Ceramic Dielectric Variable Capacitor - Page 2 of 2



SI	nel	lf I	l if	ρ.
Ο.		•		v.

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A096a0