

View Online at https://aerobasegroup.com/nsn/5910-00-781-1922

#### **Body Style:**

Button type, w/thd mtg hole/stud

## **Reliability Indicator:**

Established

## **Body Diameter:**

0.750 inches

#### **Body Length:**

0.438 inches

## Mounting Facility Screw Thread Series Designator:

Unc

## Mounting Facility Type And Quantity:

1 threaded mounting holes

#### **Capacitance Value Per Section:**

42.000 picofarads single section

## Nonderated Operating Temp:

#### Between -55.0 degrees celsius and 120.0 degrees celsius

#### Thread Size:

0.138 inches

## Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:

0.0 single section

#### Nonderated Continuous Voltage Rating And Type Per Section:

3000.0 ac/dc single section

## Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:

-30.0/+30.0 single section

#### **Tolerance Range Per Section:**

-5.00/+5.00 percent single section

#### Case Material:

Plastic

# Insulation Resistance At Reference Temp:

5000.0 megohms

# Test Data Document:

80045-1501-20 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

```
Shelf Life:
```

N/a

### Unit Of Measure:

---

## Demilitarization:

No

Fiig:

A010b0