

View Online at https://aerobasegroup.com/nsn/5910-00-782-4764

## **Body Style:**

W/o mtg facilities terminal (s) on one surface

**Reliability Indicator:** 

Established

# **Terminal Length:**

1.250 inches

## **Body Length:**

0.300 inches

#### **Body Width:**

0.300 inches

### **Body Height:**

0.200 inches

### Center To Center Distance Between Terminals Parallel To Length:

Between 0.185 inches and 0.215 inches

### Schematic Diagram Designator:

No common or grounded electrode (s)

## Capacitance Value Per Section:

8200.000 picofarads single section

## Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

## Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:

0.0 single section

## Nonderated Continuous Voltage Rating And Type Per Section:

100.0 dc single section

### Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:

-30.0/+30.0 single section

### **Tolerance Range Per Section:**

-1.00/+1.00 percent single section

### **Case Material:**

Plastic

### Insulation Resistance At Reference Temp:

100000.0 megohms

## **Terminal Surface Treatment:**

Solder

### Test Data Document:

97942-578r852 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

## **Terminal Type And Quantity:**

2 uninsulated wire lead

## Shelf Life:

N/a

#### Unit Of Measure:



Demilitarization:

No

Fiig:

A010b0