

View Online at https://aerobasegroup.com/nsn/5910-00-782-5004

## **Body Style:**

W/o mtg facilities terminal (s) on one surface

**Reliability Indicator:** 

Not established

**Terminal Length:** 

1.250 inches

**Body Length:** 

0.300 inches

**Body Width:** 

0.300 inches

**Body Height:** 

0.100 inches

### Center To Center Distance Between Terminals Parallel To Length:

Between 0.185 inches and 0.215 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

## Capacitance Value Per Section:

1500.000 picofarads single section

## Nonderated Operating Temp:

Between -55.0 degrees celsius and 150.0 degrees celsius

## Nonderated Continuous Voltage Rating And Type Per Section:

200.0 dc single section

### Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:

-15.0/+15.0 single section

### **Tolerance Range Per Section:**

-5.00/+5.00 percent single section

#### **Case Material:**

Ceramic

Insulation Resistance At Reference Temp:

10000.0 megohms

# Power Factor At Reference Tempurature In Percent:

2.5000

# **Terminal Surface Treatment:**

Solder

# Test Data Document:

09344-pc5174-13 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing,

etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

# Terminal Type And Quantity:

2 uninsulated wire lead

## Shelf Life:

N/a

## Unit Of Measure:



Demilitarization:

No

Fiig:

A010b0