NSN 5910-00-787-5261

Air Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-787-5261 **Body Style:** Plate-meshing **Overall Length:** 0.470 inches **Terminal Length:** 0.156 inches **Overall Height:** 0.360 inches **Overall Width:** 0.310 inches Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius: 30.0 single section **Tolerance Of Tempurature Coefficient In Ppm Per Deg Celsius:** -15.0/+15.0 single section **Center To Center Distance Between Terminals Parallel To Diameter:** 0.300 inches **Terminal Width:** 0.046 inches **End Application:** Glos angeles class ss (688), ticonderoga class cg(47), spruance class dd(963), virginia class cgn(41), sturgeon class ssn(637), landing craft air cushion(lcac), fire pumps, support equipment for b-1 aircraft **Inclosure Type:** Uninclosed **Plate Quantity:** 12 **Tuning Characteristic:** Straight line capacity single section **Adjustment Device Torque:** Between 1.500 inch-ounces and 8.000 inch-ounces Plate Air Gap: 0.008 inches **Mounting Facility Type And Quantity:** 2 terminal **Criticality Code Justification:** Feat Capacitance Range In Picofarads: +1.7/+11.0 single section

Nonderated Voltage Rating And Type:

250.0 dc peak single section

Adjustment Device Drive Type And Quantity:

1 slotted screw

Special Features:

Weapons system essential

NSN 5910-00-787-5261

Fiig: A096a0

Air Dielectric Variable Capacitor - Page 2 of 2



Material:
Iridium base and silver base
Precious Material And Location:
Terminals and external surfaces iridium and terminals and external surfaces silver
Precious Material:
Iridium and silver
Terminal Type And Quantity:
2 printed circuit
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No