

NSN 5910-00-799-3595 Paper-plastic Dielectric Metallized Fixed Capacitor - Page 1 of 2	AeroBa
View Online at https://aerobasegroup.com/nsn/5910-00-799-3595	
Body Style:	
W/thd mtg studs, axial terminals	
Reliability Indicator:	
Not established	
Terminal Length:	
0.296 inches	
Body Diameter:	
0.750 inches	
Body Length:	
1.875 inches	
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:	
1.125 inches	
Schematic Diagram Designator:	
No common or grounded electrode (s)	
Mounting Facility Screw Thread Series Designator:	
Unc	
Mounting Facility Type And Quantity:	

2 threaded mounting studs

Features Provided:

Hermetically sealed case

Insulation Resistance At Maximum Operating Temp:

10.0 megohm-microfarads

Capacitance Value Per Section:

4.000 microfarads single section

Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

Thread Size:

0.138 inches

Nonderated Continuous Voltage Rating And Type Per Section:

200.0 dc single section

Tolerance Range Per Section:

-5.00/+5.00 percent single section

Case Material:

Metal

Insulation Resistance At Reference Temp:

2000.0 megohm-microfarads

Power Factor At Reference Tempurature In Percent:

1.0000

Terminal Surface Treatment:

Solder

Terminal Type And Quantity:

2 tab, solder lug

NSN 5910-00-799-3595

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 2 of 2



Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiia:

A010b0