

View Online at <https://aerobasegroup.com/nsn/5910-00-799-8887>

**Body Style:**

W/twist tab mtg, terminal (s) on one end

**Reliability Indicator:**

Not established

**Terminal Length:**

0.625 inches

**Body Diameter:**

0.625 inches

**Body Length:**

1.688 inches

**Schematic Diagram Designator:**

Electrod (s) grounded to case

**Anode Type:**

Plain foil

**Electrical Polarization:**

Polarized

**End Application:**

Nimitz class cvn; Forrestal class cv; wasp class lhd

**Capacitance Value Per Section:**

8.000 microfarads single section

**Nonderated Operating Temp:**

Between -20.0 degrees celsius and 85.0 degrees celsius

**Nonderated Continuous Voltage Rating And Type Per Section:**

350.0 dc single section

**Tolerance Range Per Section:**

-10.00/+75.00 percent single section

**Case Material:**

Metal

**Capacitive Electrode Material:**

Aluminum

**Dissipation Factor At Reference Temperature In Percent:**

15.0000

**Dc Leakage At Reference Temp:**

100.000 microamperes

**Terminal Type And Quantity:**

1 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A010b0