NSN 5910-00-801-3483

Paper Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-801-3483 **Body Style:** W/mtg bracket, terminal (s) on one end **Reliability Indicator:** Not established **Body Diameter:** 1.000 inches **Body Length:** 1.594 inches **Unthreaded Mounting Hole Diameter:** 0.281 inches **Schematic Diagram Designator:** Electrod (s) grounded to case **Mounting Facility Type And Quantity:** 1 unthreaded mounting holes **Features Provided:**

Hermetically sealed case

Insulation Resistance At Maximum Operating Temp:

15.0 megohm-microfarads

Capacitance Value Per Section:

0.100 microfarads single section

Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

Nonderated Continuous Voltage Rating And Type Per Section:

500.0 dc all sections

Tolerance Range Per Section:

-10.00 to 50.00 percent single section

Case Material:

Metal

Insulation Resistance At Reference Temp:

1500.0 megohm-microfarads

Dissipation Factor At Reference Tempurature In Percent:

1.000

Test Data Document:

81349-mil-c-12889 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Terminal Type And Quantity:

1 threaded hole

Specification Data:

81349-mil-c-12889/2 government specification

Shelf Life:

N/a

Unit Of Measure:

--

NSN 5910-00-801-3483

Paper Dielectric Fixed Capacitor - Page 2 of 2



Demilitarization:

No

Fiig:

A010b0