## NSN 5910-00-801-3485



Electrolytic Fixed Capacitor - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5910-00-801-3485 **Body Style:** W/o mtg facilities, terminal (s) on one end **Reliability Indicator:** Not established **Unable To Decode:** Unable to decode and unable to decode **Terminal Length:** 0.563 inches **Body Diameter:** 1.375 inches **Body Length:** Between 2.687 inches and 2.813 inches **Schematic Diagram Designator:** Electrod (s) grounded to case, w/gnd ter minal **Anode Type:** Plain foil **Electrical Polarization:** Polarized **Section Quantity: Capacitance Value Per Section:** 50.000 microfarads all sections **Nonderated Operating Temp:** Between -40.0 degrees celsius and 85.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 200.0 dc all sections **Tolerance Range Per Section:** -10.00 to 100.00 percent 2nd section Case Material: Metal **Capacitive Electrode Material:** Aluminum Dc Leakage At Reference Temp: 50.000 microamperes **Terminal Surface Treatment:** Solder **Case Insulation Material:** Plastic **Terminal Type And Quantity:** 

3 tab, solder lug
Shelf Life:

N/a

## NSN 5910-00-801-3485

Electrolytic Fixed Capacitor - Page 2 of 2



|    | • • |             |    |     |      |
|----|-----|-------------|----|-----|------|
| In | 18  | <i>(</i> )+ | МА | 261 | ıre: |
|    |     |             |    |     |      |

--

Demilitarization:

No

Fiig:

A010b0