

View Online at https://aerobasegroup.com/nsn/5910-00-802-6085

#### **Body Style:**

W/o mtg facilities, axial terminals

## **Reliability Indicator:**

Not established

## **Terminal Length:**

1.625 inches

#### **Body Diameter:**

0.312 inches

#### **Body Length:**

0.937 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

#### **Internal Electrical Connection Type:**

Extended foil

#### Features Provided:

Hermetically sealed case

## Insulation Resistance At Maximum Operating Temp:

100000.0 megohm-microfarads

#### **Capacitance Value Per Section:**

19000.000 picofarads single section

## Nonderated Operating Temp:

Between -65.0 degrees celsius and 85.0 degrees celsius

## Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:

-100.0 single section

## Nonderated Continuous Voltage Rating And Type Per Section:

100.0 dc single section

## Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:

-40.0/+40.0 single section

#### **Tolerance Range Per Section:**

-1.00/+1.00 percent single section

#### **Case Material:**

Metal

## Insulation Resistance At Reference Temp:

1000000.0 megohm-microfarads

# Power Factor At Reference Tempurature In Percent:

0.0002

## **Terminal Surface Treatment:**

Solder

#### **Dielectric Material:**

Plastic polyethylene terephthalate

## **Terminal Type And Quantity:**

2 uninsulated wire lead

Plastic Dielectric Fixed Capacitor - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A010b0