Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-806-4328

#### **Body Style:**

W/o mtg facilities, axial terminals

## **Reliability Indicator:**

Not established

## **Terminal Length:**

1.500 inches

#### **Body Diameter:**

0.203 inches

#### **Body Length:**

0.515 inches

#### Schematic Diagram Designator:

Electrod (s) grounded to case, w/gnd terminal

#### Anode Type:

Solid

#### Impedance At Minimum Operating Tempurature In Ohms:

405.0

# Electrical Polarization:

Polarized

#### **Features Provided:**

Hermetically sealed case

#### Capacitance Value Per Section:

4.000 microfarads single section

## Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

#### Dc Leakage At Maximum Operating Temp:

2.0 milliamperes

#### Nonderated Continuous Voltage Rating And Type Per Section:

60.0 dc single section

#### **Tolerance Range Per Section:**

-15.00/+20.00 percent single section

#### Case Material:

Metal

## **Capacitive Electrode Material:**

Tantalum

# Equivalent Series Resistance At Reference Tempurature In Ohms:

8.00

## Dc Leakage At Reference Temp:

0.500 microamperes

## **Terminal Surface Treatment:**

Solder

## **Case Insulation Material:**

Plastic

Electrolytic Fixed Capacitor - Page 2 of 2



# Terminal Type And Quantity:

2 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0