Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-809-6920

# **Body Style:**

W/o mtg facilities, axial terminals

# **Reliability Indicator:**

Not established

# **Terminal Length:**

1.500 inches

# **Body Diameter:**

0.312 inches

# **Body Length:**

0.469 inches

# Schematic Diagram Designator:

Electrod (s) grounded to case, w/gnd terminal

#### Anode Type:

Solid

# Impedance At Minimum Operating Tempurature In Ohms:

impec

# 100.0

Electrical Polarization:

Polarized

# **Capacitance Value Per Section:**

25.000 microfarads single section

# Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

# Dc Leakage At Maximum Operating Temp:

4.0 milliamperes

# Nonderated Continuous Voltage Rating And Type Per Section:

8.0 dc single section

#### **Tolerance Range Per Section:**

-20.00/+20.00 percent single section

# **Case Material:**

Metal

#### **Capacitive Electrode Material:**

Tantalum

#### Equivalent Series Resistance At Reference Tempurature In Ohms:

4.00

# Dc Leakage At Reference Temp:

1.000 microamperes

# **Terminal Surface Treatment:**

Solder

# **Terminal Type And Quantity:**

2 uninsulated wire lead

# Shelf Life:

N/a

# NSN 5910-00-809-6920

Electrolytic Fixed Capacitor - Page 2 of 2



Unit Of Measure:

---

Demilitarization:

No

Fiig:

A010b0