

View Online at https://aerobasegroup.com/nsn/5910-00-811-4783

### **Body Style:**

W/o mtg facilities terminal (s) on one surface

### **Reliability Indicator:**

Not established

### **Terminal Length:**

1.250 inches

### **Body Length:**

0.290 inches

#### **Body Width:**

0.290 inches

### **Body Height:**

### 0.090 inches

### Center To Center Distance Between Terminals Parallel To Length:

0.200 inches

### **Terminal Diameter:**

0.025 inches

### Schematic Diagram Designator:

No common or grounded electrode (s)

### **Capacitance Value Per Section:**

2200.000 picofarads single section

### Voltage Tempurature Limits Per Section In Percent Capacitance Change:

-56.0/+22.0 without voltage applied single section

### Nonderated Operating Temp:

Between -55.0 degrees celsius and 150.0 degrees celsius

### Nonderated Continuous Voltage Rating And Type Per Section:

200.0 dc single section

### **Tolerance Range Per Section:**

-20.00/+20.00 percent single section

### **Case Material:**

Ceramic

### **Terminal Surface Treatment:**

Solder

# Test Data Document:

81349-milc11015 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

# Terminal Type And Quantity:

2 uninsulated wire lead

# **Specification Data:**

81349-mil-c-11015/19a government specification

## Shelf Life:

N/a

Unit Of Measure:



Demilitarization:

No

Fiig:

A010b0