

View Online at https://aerobasegroup.com/nsn/5910-00-812-3919

### **Body Style:**

W/mtg bracket, axial terminals

**Reliability Indicator:** 

Not established

## **Terminal Length:**

1.625 inches

### **Body Diameter:**

0.560 inches

#### **Body Length:**

1.594 inches

### **Unthreaded Mounting Hole Diameter:**

0.156 inches

### Schematic Diagram Designator:

No common or grounded electrode (s)

### **Internal Electrical Connection Type:**

Extended foil

### Mounting Facility Type And Quantity:

1 unthreaded mounting holes

### **Features Provided:**

Hermetically sealed case

### Insulation Resistance At Maximum Operating Temp:

200.0 megohm-microfarads

### Capacitance Value Per Section:

1.000 microfarads single section

### Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

### Nonderated Continuous Voltage Rating And Type Per Section:

200.0 dc single section

### **Tolerance Range Per Section:**

-10.00/+10.00 percent single section

### **Case Material:**

Metal

# Insulation Resistance At Reference Temp:

40000.0 megohm-microfarads

# Dissipation Factor At Reference Tempurature In Percent:

0.5000

## **Dielectric Material:**

Plastic polyethylene terephthalate

# Terminal Type And Quantity:

2 insulated wire lead

### Shelf Life:

N/a

Plastic Dielectric Fixed Capacitor - Page 2 of 2



Unit Of Measure:

---

Demilitarization:

No

Fiig:

A010b0