

View Online at https://aerobasegroup.com/nsn/5910-00-823-1846

## **Body Style:**

W/o mtg facilities, axial terminalsw/o mtg facilities, axial terminalsw/o mtg facilities, axial terminals

## **Reliability Indicator:**

Not establishednot establishednot established

## **Terminal Length:**

1.125 inches

### **Body Diameter:**

0.710 inches

**Body Length:** 

0.260 inches

**Terminal Diameter:** 

Between 0.023 inches and 0.027 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

## Insulation Resistance At Maximum Operating Temp:

100.0 megohm-microfarads

## Capacitance Value Per Section:

0.500 microfarads single section

## Voltage Tempurature Limits Per Section In Percent Capacitance Change:

-15.0/+15.0 without voltage applied single section

## Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

## Nonderated Continuous Voltage Rating And Type Per Section:

100.0 dc single section

## **Tolerance Range Per Section:**

-20.00/+20.00 percent single section

#### **Case Material:**

Plastic

Insulation Resistance At Reference Temp:

1000.0 megohm-microfarads

# Dissipation Factor At Reference Tempurature In Percent:

2.5000

# Power Factor At Reference Tempurature In Percent:

2.0000

# **Terminal Surface Treatment:**

Solder

## **Terminal Type And Quantity:**

2 uninsulated wire lead

Shelf Life:

N/a

#### Unit Of Measure:

---



Demilitarization:

No

Fiig:

A010b0