Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-824-3994

## **Body Style:**

W/o mtg facilities, axial terminals

## **Reliability Indicator:**

Not established

# **Terminal Length:**

1.625 inches

#### **Body Diameter:**

0.494 inches

**Body Length:** 

0.938 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

### Features Provided:

Hermetically sealed case

## Insulation Resistance At Maximum Operating Temp:

150000.0 megohm-microfarads

#### **Capacitance Value Per Section:**

43600.000 picofarads single section

## Nonderated Operating Temp:

Between -65.0 degrees celsius and 85.0 degrees celsius

## Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:

-100.0 single section

# Nonderated Continuous Voltage Rating And Type Per Section:

100.0 dc single section

## Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:

-40.0/+40.0 single section

## **Tolerance Range Per Section:**

-2.00/+2.00 percent single section

#### **Case Material:**

Metal

# Insulation Resistance At Reference Temp:

1000000.0 megohm-microfarads

# Power Factor At Reference Tempurature In Percent:

0.0002

# **Terminal Type And Quantity:**

2 uninsulated wire lead

Shelf Life:

N/a

# Unit Of Measure:

--

# Demilitarization:

No

# NSN 5910-00-824-3994

Plastic Dielectric Fixed Capacitor - Page 2 of 2

**Fiig:** A010b0

